

Fig. 1




Fig. 2




Fig. 2A




Fig. 2B





Fig. 3
GENERIC
CONNECTION RELEASE
MESSAGE



3-H 3-T 3-I


Fig. 4
FIRST MODE: GENERIC
CONNECTION RELEASE
MESSAGE WITH OMNIBUS
RELEASE CAPABILITY



4-H 4-T 4-I

- S-RNTI IN RESERVED RANGE > OMNIBUS CONNECTION RELEASE
- S-RNTI IN NON-RESERVED RANGE > INDIVIDUAL UE RELEASE

Fig. 7
SECOND MODE:
GENERIC
CONNECTION RELEASE
MESSAGE WITH OMNIBUS
RELEASE CAPABILITY



7-H 7-T 7-I

- S-RNTI IN S-RNTI RESERVED RANGE > OMNIBUS CONNECTION RELEASE
- S-RNTI NOT IN S-RNTI NON-RESERVED RANGE > INDIVIDUAL UE RELEASE
- SRNC-id IN SRNC-id RESERVED RANGE > OMNIBUS RELEASE
- SRNC-id NOT IN SRNC-id RESERVED RANGE > INDIVIDUAL UE RELEASE

Fig. 5




Fig. 6

7/9
127₂ 130₂ 132₂ 104₂ 102₂ 100₂




Fig. 8




Fig. 9

